



L Number	Hits	Search Text	DB	Time stamp
1 Number	4	(("6487495") or ("20020068585")).PN.	USPAT;	2004/04/28 21:08
-	•	((010/135) 02 (2002000000), 11111	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	•	USPAT;	2003/11/06 08:58
		(monument or (point adj of adj interest)	US-PGPUB;	
		landmark) and (search or query) and (3d	EPO; JPO; DERWENT;	
		3-D)) and (client user) with perspective	IBM TDB	
_	64	((audio or verbal or speech or sound) and	USPAT;	2003/11/06 08:59
		(monument or (point adj of adj interest)	US-PGPUB;	
]		landmark) and (search or query) and (3d	EPO; JPO;	
		3-D)) and (client user) with (view	DERWENT;	
		perspective)	IBM_TDB	
-	15	' ' ' '	USPAT;	2003/11/06 09:14
:		(monument or (point adj of adj interest)	US-PGPUB;	
		landmark) and (search or query) and (3d	EPO; JPO;	
		3-D)) and (client user) with (view perspective)) and stay	DERWENT; IBM TDB	
_	0	l = =	USPAT;	2003/11/06 09:14
		(monument or (point adj of adj interest)	US-PGPUB;	
		landmark) and (search or query) and (3d	EPO; JPO;	
		3-D)) and (client user) with (view	DERWENT;	
		perspective)) and stay) not (((audio or	IBM_TDB	
		verbal or speech or sound) and (monument or		
		(point adj of adj interest) landmark) and (search or query) and (3d 3-D)) and (client		
		user) with (view perspective))		
_	96		USPAT;	2003/11/06 09:15
		(monument or (point adj of adj interest)	US-PGPUB;	
		landmark) and (search or query) and (3d	EPO; JPO;	
	,	3-D)) and (client user) with (view	DERWENT;	
		perspective)) nnot ((((audio or verbal or	IBM_TDB	
		speech or sound) and (monument or (point adj		
		of adj interest) landmark) and (search or query) and (3d 3-D)) and (client user) with		
		(view perspective)) and stay)		
_	49		USPAT;	2003/11/06 09:15
		(monument or (point adj of adj interest)	US-PGPUB;	, .
		landmark) and (search or query) and (3d	EPO; JPO;	
		3-D)) and (client user) with (view	DERWENT;	
		perspective)) not ((((audio or verbal or	IBM_TDB	
		speech or sound) and (monument or (point adj of adj interest) landmark) and (search or		
		query) and (3d 3-D)) and (client user) with		
		(view perspective)) and stay)		
-	6	(US-6526351-\$ or US-6321158-\$ or	USPAT;	2003/11/06 09:28
		US-6385541-\$ or US-5945985-\$ or	US-PGPUB	
		US-5945976-\$).did. or		
	_	(US-20010034661-\$).did.		2002/11/25 22 22
-	6	(US-6526351-\$ or US-6321158-\$ or US-6385541-\$ or US-5945985-\$ or	USPAT;	2003/11/06 09:28
		US-6385541-\$ Or US-5945985-\$ Or US-5945976-\$).did. or	US-PGPUB	
		(US-20010034661-\$).did.		
-	2	1 · · · · · · · · · · · · · · · · · · ·	USPAT;	2003/11/06 09:59
	[US-6385541-\$ or US-5945985-\$ or	US-PGPUB;	, -=, , , , , ,
		US-5945976-\$).did. or	EPO; JPO;	
		(US-20010034661-\$).did.) and (stay or	DERWENT;	
		duration)	IBM_TDB	0000/00/00
-	0 12	6526351.URPN. ("5767795" "5802492" "5924075"	USPAT	2003/11/06 09:29
=	12	("5767795" "5802492" "5924075" "5948040" "5964821" "6009403"	USPAT	2003/11/06 09:29
		"6055478" "6085148" "6148261"		
		"6199045" "6295502" "6321158").PN.		
-	1520	707/\$ and stay	USPAT;	2003/11/06 10:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	L

-	36	707/\$ and stay and duration and 3d	USPAT; US-PGPUB;	2003/11/06 10:00
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	201		USPAT;	2003/11/06 14:03
		(monument or (point adj of adj interest)	US-PGPUB;	
		landmark) and (search or query) and (3d 3-D)	EPO; JPO;	
			DERWENT; IBM TDB	
	300	landmark with database	USPAT;	2003/11/12 16:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	36	(londword with detalogs) and (maritim and	IBM_TDB	2002/11/10 16 05
-	36	(landmark with database) and (position and name) with landmark	USPAT; US-PGPUB;	2003/11/12 16:05
		name, with landmark	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	, , ,	USPAT;	2003/11/12 16:08
		name) with landmark) and (search or query))	US-PGPUB;	
1		and aerial with (photo\$6 or pic\$5 or imag\$2)	EPO; JPO;	
			DERWENT; IBM TDB	
-	2	(((landmark with database) and (position and	USPAT;	2003/11/12 16:23
		name) with landmark) and (search or query))	US-PGPUB;	
		and 3d	EPO; JPO;	
			DERWENT;	
	27	///landmoule with database) and (marks)	IBM_TDB	0000/11/10 15 5
-	21	(((landmark with database) and (position and name) with landmark) and (search or query))	USPAT;	2003/11/12 16:27
		not ((((landmark with database) and	US-PGPUB; EPO; JPO;	,
		(position and name) with landmark) and	DERWENT;	
		(search or query)) and aerial with (photo\$6	IBM_TDB	
		or pic\$5 or imag\$2))		0000 /00 /00
_	2	((((landmark with database) and (position and name) with landmark) and (search or	USPAT; US-PGPUB;	2003/11/12 16:27
		query)) not ((((landmark with database) and	EPO; JPO;	
		(position and name) with landmark) and	DERWENT;	
		(search or query)) and aerial with (photo\$6	IBM_TDB	
		or pic\$5 or imag\$2))) and (stay or duration)		
_	2	("5115399").PN.	USPAT;	2003/11/13 09:02
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	489	user with database and network and landmark	USPAT;	2003/11/13 09:02
1			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	94	(user with database and network and	USPAT;	2003/11/13 09:03
		landmark) and landmark with database	US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
	1		EPO; JPO;	
			DERWENT;	
_	72	((user with database and network and	IBM_TDB USPAT;	2003/11/13 09:03
	"2	landmark) and landmark with database) and	US-PGPUB;	2003/11/13 03:03
		(search or query)	EPO; JPO;	
			DERWENT;	
_		///waar with database and national and	IBM_TDB	
_	23	(((user with database and network and landmark) and landmark with database) and	USPAT; US-PGPUB;	2003/11/13 13:14
		(search or query)) and position with	EPO; JPO;	
		landmark	DERWENT;	
			IBM_TDB	
-	2904	user with viewpoint	USPAT;	2003/11/13 13:15
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	<u> </u>		IBM TDB	
				L

-	526	(user with viewpoint) and current with (position or location)	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 13:15
			DERWENT; IBM_TDB	
-	30	(user with viewpoint) and aerial and 3d	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 13:22
· <u>-</u>	701	(user with viewpoint) and communication with	DERWENT; IBM_TDB USPAT;	2003/11/13 13:22
		user	US-PGPUB; EPO; JPO; DERWENT;	
-	701	(user with viewpoint) and communication with user\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 13:22
-	240	((user with viewpoint) and communication	IBM_TDB USPAT;	2003/11/13 13:22
		with user\$) and user with database	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	32	((user with viewpoint) and communication with user\$) and viewpoint with database	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 13:40
-	270	viewpoint with database	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/13 13:40
			EPO; JPO; DERWENT; IBM TDB	
-	115	(viewpoint with database) and user with viewpoint	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 13:41
-	89	((viewpoint with database) and user with viewpoint) and position	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 13:41
-	56	(((viewpoint with database) and user with viewpoint) and position) and communication	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 14:26
- '	2	("6577714").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 14:26
-	0	(("6577714").PN.) and 3d	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 14:27
-	1	(("6577714").PN.) and viewpoint	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/13 16:08
_	101	add with user with (location or position)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/11/13 16:09
		with (map or image)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

-	1	((user with viewpoint) and communication with user) and (add with user with (location or position) with (map or image))	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 16:09
_	1	add with user with (location or position)	DERWENT; IBM_TDB USPAT;	2003/11/13 16:10
		with (map or image) same proximity	US-PGPUB; EPO; JPO; DERWENT;	2003, 21, 13 10:10
-	105	user with (location or position) with (map or image) same proximity	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:10
_	74	(user with (location or position) with (map or image) same proximity) and communication	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:11
-	2	((user with (location or position) with (map or image) same proximity) and communication) and max\$5 with connections	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:11
-	37	((user with (location or position) with (map or image) same proximity) and communication) and user with database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:16
-	59190	(user client) with database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:17
- 	34450	((user client) with database) and (location or position)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:17
-	18761	(((user client) with database) and (location or position)) and (connect talk or communicat\$5) with user	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:18
-	21783	(((user client) with database) and (location or position)) and (connect talk or communicat\$5) with (user\$ or client)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:19
-	8419	<pre>((((user client) with database) and (location or position)) and (connect talk or communicat\$5) with (user\$ or client)) and (map or 3D)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:19
-	1509	(((((user client) with database) and (location or position)) and (connect talk or communicat\$5) with (user\$ or client)) and (map or 3D)) and proximity	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:21
_	3	<pre>((((((user client) with database) and (location or position)) and (connect talk or communicat\$5) with (user\$ or client)) and (map or 3D)) and proximity) and display with client with proximity</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:21
	48	((((((user client) with database) and (location or position)) and (connect talk or communicat\$5) with (user\$ or client)) and (map or 3D)) and proximity) and display with (user client) with proximity	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:29

-	3838	maximum with current with positions	USPAT; US-PGPUB;	2003/11/13 16:29
			EPO; JPO; DERWENT; IBM TDB	
-	78	maximum with current with positions with display	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 16:29
	20		DERWENT; IBM_TDB	2002/11/12 16 20
-	20	(maximum with current with positions with display) and communication	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:29
-	15	((maximum with current with positions with display) and communication) and (map or	IBM_TDB USPAT; US-PGPUB;	2003/11/13 16:32
		image)	EPO; JPO; DERWENT; IBM TDB	
-	o	(map image) same dispaly with location with (client\$2 or user\$2)	USPAT; US-PGPUB; EPO; JPO;	2003/11/13 16:33
-	2257	(map image) same display with location with (client\$2 or user\$2)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/13 16:33
			EPO; JPO; DERWENT; IBM_TDB	
_	1352	((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:38
-	1352	(((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)) and (map or image)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:38
-	634	((((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)) and (map or image)) and (701/\$ 345/\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 16:43
-	634	(((((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or	IBM_TDB USPAT; US-PGPUB;	2003/11/13 16:44
-	634	communicat\$3) with (client or user)) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location) (((((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/13 16:44
		communicat\$3) with (client or user)) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and display with (user or client) with (location	EPO; JPO; DERWENT; IBM_TDB	
_	48	or position) ((((((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or	USPAT; US-PGPUB;	2003/11/13 17:17
- Street Market		communicat\$3) with (client or user)) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and display with (user or client) with (location	EPO; JPO; DERWENT; IBM_TDB	
-	o	or position) with distance 6633763.pn. and maximum	USPAT; US-PGPUB;	2003/11/13 17:19
			EPO; JPO; DERWENT; IBM_TDB	

2 6633763.URPN. USPAT, U					
- 0 6613763.URDM 3 (*5135689" "5531023" "6085097").PM 4 (*5135689" "5531023" "6085097").PM 5 (*5135689" "5531023" "6085097").PM 6 (*513763.URDM 7 (*5135689" "5531023" "6085097").PM 7 (*5135689" "5531023" "6085097").PM 7 (**(*1000)	-	2	6633763.pn.		2003/11/13 17:23
0 6633763.URPN. 75085097*).PN. USPAT 2003/11/13 17:19 2003/11/13 17:19 2003/11/13 17:19 2003/11/13 17:20 2003/11/14 07:20 2003/11/14 07:20 2003/11/14 07:30 2003/11/14 07:30 2003/11/14 07:30 2003/11/14 07:30 2003/11/14 07:31 2003/11/14 07:31 2003/11/14 07:31 2003/11/14 07:31 2003/11/14 07:32 2003/11/14 07:32 2003/11/14 07:33 2003/11/14 07:35 2003/11/14 07:35 2003/11/14 07:35 2003/11/14 07:35 2003	•				
0 6633763.URPN. 3 16085097*).PN. USPAT 2003/11/13 17:20			•	1	•
3				_	
4 ((user with (location or position) with (map or image) same proximity) and communication and maximum with display ((((((map image) same display with location with (clients2 or user\$2)) and (connect\$3 or communicat\$3) with (clients2 or user\$2)) and (connect\$3 or communicat\$3) with (clients2 or user\$2)) and (same or client) with (position or location) and maximum with display with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)) and (map or image) and (701/\$345/\$5)) and (user or client) with (position or location)) and maximum with display) and maximum with map (((((((map image) same display with location) with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)) and (same or client) with (position or location) and maximum with display) and maximum with map (((((((map image) same display with location or client) with (position or location)) and maximum with display) and maximum with connections or client) with (position or location) and maximum with display) and maximum with same or client) with (position or location) and maximum with display) and maximum with same or client) with (position or location) and maximum with display) and maximum with same or client) with (position or location) and maximum with same or client) with same or client) with (position or location) and maximum with same or client) with same or client) with (position or location) and maximum with same or client) with same or client) with (position or location) and maximum with same or client) with same or client) with (position or location) and maximum with same or client) with same or client) with same or same or client) with same or client)	-				
Or image) same proximity) and communication and maximum with display 2003/11/13 17:24	-				
and maximum with display Common	_	4		•	2003/11/13 17:24
Communication Communicatio					· ·
61 (((((((((((((((((((((((((((((((((((
with (client52 or user\$2)) and (connect\$3 or communicat\$3) with (client or user) and (map or image)) and (101/\$345/\$3) and (user or client) with (position or location)) and maximum with display		ļ			
	-	61		,	2003/11/13 17:24
(map or image) and (701/\$ 345/\$) and (user or client) with (position or location) and maximum with display (((((((((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)) and (map or image) same display with location or client) with (position or location)) and maximum with display) and maximum with map ((((((((map image) same display with location)) and maximum with display) and maximum with map or client) with (client or user) and (map or image) same display with location) and maximum with display) and (connect\$3 or communicat\$3 with (client or user) and (map or image) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with connections (connections) and maximum with stay) and distance - 2 (minimum with stay) and distance - 1509 minimum with stay) and landmark with stay - 2 (minimum with stay) and landmark with stay - 3003/11/14 07:32 - 3010 (minimum with stay) and duration with stay - 5061 minimum with stay) and duration with stay - 5061 minimum with stay) and duration with stay - 5061 minimum with stay) and (landmark or poi (point or plance) near5 interest) - 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest)					
or client) with (position or location)) and maximum with display ((((((((map image) same display with location with (clients2 or users2)) and (connect\$3 or communicat\$3) with (client or user)) and (map or image) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with map (((((((map image) same display with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3) with (client or user)) and (map or image) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with display) and maximum with connect\$3 or communicat\$3) with (client or user)) and (user or client) with (position or location)) and maximum with display) and maximum with map (uspar); [USPAT];					
15		ľ		1	
with (client\$2 or user\$2)) and (connect\$3 or communicat\$3 with (client or user)) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with map (((((((map image)) and (isplay with location) with (client\$2 or user\$2)) and (connect\$3 or communicat\$3 with (client or user)) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with connections or connections and maximum with display) and maximum with connections (connection) and maximum with display) and maximum with user (user imaximum with connection) and maximum with stay (user imaximum with user imaximum u				_	
Communicat§3) with (client or user) and (map or image)) and (701/§ 345/§)) and (user or client) with (position or location)) and maximum with display) and maximum with display) and maximum with (clients2 or user§2)) and (connect§3 or communicat§3) with (client or user)) and (map or image)) and (701/§ 345/§1) and (user or client) with (position or location)) and maximum with display) and maximum with connections	-	15		,	2003/11/13 17:26
(map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with map (1((((((map image)) and (isplay with location with (client\$2 or user\$2)) and (connect\$3 or communicat\$3 with (client or user)) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with connections of 6633763.pn. and distance - 2 6633763.pn. and distance 1509				1	
or client) with (position or location) and maximum with display) and maximum with map (((((((map image) same display with location with (client counsers)) and (connects) or communicats) with (client or user)) and (map or image)) and (701/\$ 345/\$1) and (user) or client) with (position or location) and maximum with display) and maximum with connections - 2 6633763.pn. and distance - 1509 minimum with stay - 2 (minimum with stay) and landmark with stay - 2 (minimum with stay) and landmark with stay - 3 (minimum with stay) and duration with stay - 4 (minimum with stay) and duration with stay - 5061 "55" and (landmark or poi (point or plance) near5 interest) - 100 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((length duration) with (stop stay) and (landmark or poi (point or plance) near5 interest) - 1240 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1250 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1260 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1260 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1270 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1280 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1280 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1280 ((length duration) with (stop stay) and (landmark or poi (popperment); interest) - 1280 ((length duration) with (stop stay)) and (landmark or poi (popperment); interest)					
maximum with display) and maximum with map 1 (((((((mpi mage) same display with location with (client52 or user\$2)) and (connect53 or communicat53) with (client or user)) and (map or image) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with connections 2 663763.pn. and distance USPAT; US-PGPUB; EFO, JPO; DERMENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;				1	
with (client\$2 or user\$2) and (connect\$3 or communicat\$3) with (client or user) and (map or image)) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with connections 2 6633763.pn. and distance			maximum with display) and maximum with map	_	
communicat\$3) with (client or user) and (map or inage) and (701/\$ 345/\$)) and (user or client) with (position or location)) and maximum with display) and maximum with connections 1509 2003/11/14 07:30 2003/11/14 07	-	1			2003/11/14 07:22
(map or image) and (701/\$ 345/\$) and (user or client) with (position or location) and maximum with display) and maximum with connections 1509 2 2 2 2 2 2 2 2 2					
or client) with (position or location)) and maximum with display) and maximum with connections 6633763.pn. and distance USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; END TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; EPO, JPO;					
- 2 6633763.pn. and distance USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; I			or client) with (position or location)) and	1	
- 1509 minimum with stay			maximum with display) and maximum with	_	
US-PGPUB; EPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; US-PGPUB; EPC; JPC; DERWENT		_			0000/11/11 - 5
- 1509 minimum with stay - 1509 minimum with stay - 2 (minimum with stay) and landmark with stay - 2 (minimum with stay) and landmark with stay - 66 (minimum with stay) and duration with stay - 66 (minimum with stay) and duration with stay - 5061 "55" and (landmark or poi (point or plance)	_	2	6633763.pn. and distance	•	2003/11/14 07:30
- 1509 minimum with stay DERWENT; IBM_TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EP				1	
TBM_TDB			· .		
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; ISPAT; US-PGPUB; EFO; J					
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; I	-	1509	minimum with stay		2003/11/14 07:33
- 2 (minimum with stay) and landmark with stay - 66 (minimum with stay) and duration with stay - 66 (minimum with stay) and duration with stay - 5061 "55" and (landmark or poi (point or plance) near5 interest) - 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest)					
- 2 (minimum with stay) and landmark with stay USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPU	1				
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWEN				•	. }
- 66 (minimum with stay) and duration with stay - 5061 "55" and (landmark or poi (point or plance) near5 interest) - 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest)	-	2	(minimum with stay) and landmark with stay	•	2003/11/14 07:32
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 66 (minimum with stay) and duration with stay USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; ISM_TDB USPAT; US-PGPUB; EPC; JPC; DERWENT;		1		,	
- 66 (minimum with stay) and duration with stay (minimum with stay) and duration with stay (minimum with stay) and duration with stay 5061 "55" and (landmark or poi (point or plance) near5 interest) (minimum with stay) and (landmark or poi near		1			
US-PGPUB; EFO; JFO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT;		66	(minimum with stay) and duration with stay		2003/11/14 07:33
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;		1		1	
- 5061 "55" and (landmark or poi (point or plance) near5 interest) - 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 1230 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 1230 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 1230 (length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 1230 (length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 1230 (length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest)		1			
- 10 (minimum with stay) and (landmark or poi (point or plance) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
near5 interest) IUS-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (point or plance) near5 interest) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	5061	"55" and (landmark or poi (point or plance)	_	2003/11/14 07:34
- 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 (length duration) with (stop stay) and (landmark or poi (point or plance) near5 interest) - 328 (length duration) with (stop stay) and (landmark or poi (point or plance) near5 interest)				US-PGPUB;	
- 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest)		•			
- 10 (minimum with stay) and (landmark or poi (point or plance) near5 interest) - 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest)		1	,		
(point or plance) near5 interest) 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 (landmark or poi (point or plance) near5 (landmark or poi (point or plance) near5 (perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 (perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi perwent; percentage) 1230 ((duration with stop) stay) and (landmark or poi perwent; percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1230 ((duration with stop) stay) and (landmark or percentage) 1240 ((duration with stop) stay) and (landmark or percentage) 1240 ((duration with stop) stay) and (landmark or percentage) 1250 ((duration with stop) stay) and (landmark or percentage) 1250 ((duration with stop) stay) and (landmark or percentage) 1260 ((duration with s		10	(minimum with stay) and (landmark or poi	_	2003/11/14 07:35
- 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;				I	,,
- 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 interest) 18M_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; DERWENT;			_	EPO; JPO;	
- 1230 ((duration with stop) stay) and (landmark or poi (point or plance) near5 interest) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 (landmark or poi (point or plance) near5 (perwent; left) - 328 ((length duration) with (stop stay)) and (landmark or poi (point or plance) near5 (landmark or poi (point or plance) near5 (perwent; left)					
poi (point or plance) near5 interest) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (landmark or poi (point or plance) near5 interest) US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	_	1230	((duration with stop) stay) and (landmark or		2003/11/14 07:26
EPO; JPO; DERWENT; IBM_TDB ((length duration) with (stop stay)) and USPAT; US-PGPUB; interest) US-PGPUB; EPO; JPO; DERWENT; DERWENT;		1230			2003/11/14 07:36
- 328 ((length duration) with (stop stay)) and USPAT; US-PGPUB; interest) US-PGPUB; EPO; JPO; DERWENT;					
- 328 ((length duration) with (stop stay)) and USPAT; 2003/11/14 07:48 (landmark or poi (point or plance) near5 US-PGPUB; interest) EPO; JPO; DERWENT;					
(landmark or poi (point or plance) near5 US-PGPUB; interest) EPO; JPO; DERWENT;	_	220	((length duration) with (stor stor)) and		2002/11/14 07 40
interest) EPO; JPO; DERWENT;	1	328			2003/11/14 07:48
DERWENT;					
IBM TDB				DERWENT;	
	L	<u> </u>		IBM_TDB	

-	56	(landmark or poi (point or plance) near5	USPAT; US-PGPUB;	2003/11/14 07:43
		interest)) and (707/\$ 701/\$ 345/\$)	EPO; JPO; DERWENT; IBM TDB	
-	71	(705/\$ 707/\$ 701/\$ 345/\$) and (length duration) with (landmark or poi (point or	USPAT; US-PGPUB;	2003/11/14 07:44
·	ļ	place) near5 interest)	EPO; JPO; DERWENT; IBM_TDB	
-	350	((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 07:45
_	7	((705/\$ 707/\$ 701/\$ 345/\$) and (length duration) with (landmark or poi (point or	IBM_TDB USPAT; US-PGPUB;	2003/11/14 07:46
		place) near5 interest)) and stay	EPO; JPO; DERWENT; IBM_TDB	
-	7	((705/\$ 707/\$ 701/\$ 345/\$) and (length duration) with (landmark or poi (point or place) near5 interest)) and stay\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 07:46
-	5	duration) with (landmark or poi (point or place) near5 interest)) and (((length	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 07:46
-	141	duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) (((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and database	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 07:47
-	1	((((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and database) and movement with log	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 07:47
-	115	(((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and (visit\$2 or stay\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 07:48
	11	(((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and (visit\$2 or stay\$2) with (landmark or poi (point or place) near5	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 07:49
-	25	interest)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 07:53
-	274	(point or place) near5 interest)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 08:00
-	249	((visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest)) not ((((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and (visit\$2 or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 07:54
		stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest))		

-	144	<pre>(((visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest)) not ((((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and (visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest))) and (database or log)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 07:55
-	144	<pre>(((visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest)) not (((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and (visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest))) and (database or log) and (stay\$3 or visit\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 07:55
-	36	· · ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 07:56
-	33		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/14 08:01
	19	<pre>((visit\$2 or stay\$2) same (length or time duration) with (landmark or poi (point or place) near5 interest)) not ((((visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest)) not ((((length duration) with (stop stay)) and (landmark or poi (point or place) near5 interest)) and (visit\$2 or stay\$2) and (length or time) with (landmark or poi (point or place) near5 interest))) and (database or log) with (stay\$3 or visit\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:01
-	141	(visit\$3 stay\$3) with (duration length time) and landmark	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/14 08:06
-	72	((visit\$3 stay\$3) with (duration length time) and landmark) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/14 08:13
-	572	actual with stay\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/14 08:13
	39	(actual with stay\$2) and 701/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/14 08:14
-	23	visit with stay near5 (duration length)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 08:16
-	37	visit\$2 with stay\$2 near5 (duration length)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 08:17

- 14 (visit\$2 with stay\$2 near5 (duration length)) not (visit with stay near5 (US-PGPUB; (duration length)) - 156 stay with calculation 156 stay with calculation 156 stay with calculation 157 stay with calculation 158 stay with calculation uspar; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 159 stay with calculation) and landmark 150 stay with calculation) and landmark	2003/11/14 08:23
(duration length)) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB TDB TDB (stay with calculation) and landmark USPAT;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 3 (stay with calculation) and landmark USPAT;	
- 156 stay with calculation IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	
- 156 stay with calculation USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; USPAT;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 3 (stay with calculation) and landmark USPAT;	
EPO; JPO; DERWENT; IBM_TDB - 3 (stay with calculation) and landmark USPAT;	
DERWENT; IBM_TDB - 3 (stay with calculation) and landmark USPAT;	
- 3 (stay with calculation) and landmark IBM_TDB USPAT;	
- 3 (stay with calculation) and landmark IBM_TDB USPAT;	
- 3 (stay with calculation) and landmark USPAT;	1
,	2003/11/14 08:25
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
- 2023 stay with information USPAT;	2003/11/14 08:25
	2003/11/14 08:23
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	1
- 34 (stay with information) and landmark USPAT;	2003/11/14 08:26
US-PGPUB;	
EPO; JPO;	1
DERWENT;	1
IBM TDB	1
- 51 (stay\$2 or visit\$2) near4 (landmark or poi USPAT;	2003/11/14 08:32
(point or plance) near5 interest) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
- 49 advertisement and stay with duration USPAT;	2003/11/14 08:34
	2003/11/14 08:34
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 11 stay with (length duration) and advertis\$5 USPAT;	2003/11/14 08:35
with effecti\$3 US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
- 25 (visit\$2 stay\$2) with (length duration) and USPAT;	2003/11/14 08:36
advertis\$5 with effecti\$3 US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
- 14 ((visit\$2 stay\$2) with (length duration) and USPAT;	2003/11/14 08:35
advertis\$5 with effecti\$3) not (stay with US-PGPUB;	2003, 11, 14 00.33
	1
IBM_TDB	2002/21/24 == ==
- 47 (visit\$2 stay\$2) with (length duration) and USPAT;	2003/11/14 08:37
advertis\$5 with effecti\$6 US-PGPUB;	1
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 22 ((visit\$2 stay\$2) with (length duration) and USPAT;	2003/11/14 08:39
advertis\$5 with effecti\$6) not ((visit\$2 US-PGPUB;	
stay\$2) with (length duration) and EPO; JPO;	
advertis\$5 with effecti\$3) DERWENT;	
IBM TDB	
- 0 6442479.URPN. USPAT	2003/11/14 08:38
- 29 ("4654879" "5014206" "5317323" USPAT	2003/11/14 08:39
"5512908" "5519621" "5528248"	2003, 11, 14 00.39
"5613205" "5625668" "5751228"	1
1 ! ! ! ! !	1
	1
	1
"5938721" "5943018" "5952969" "60313731" "6031400" "6031400"	1
"6021371" "6031490" "6034626"	-
"6044312" "6199045" "6046689"	1
"6047236" "6052645" "6073075"	
"6078865" "6169955").PN.	

- 3	(("4654879" "5014206" "5317323" "5512908" "5519621" "5528248" "5613205" "5625668" "5751228" "5767795" "5835061" "5839088" "5884221" "5890068" "5918180"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/14 08:39
	"5938721" "5943018" "5952969" "6021371" "6031490" "6034626" "6044312" "6199045" "6046689" "6047236" "6052645" "6073075" "6078865" "6169955").PN.) and stay	15.1_155	
- 25	(US-6496776-\$ or US-6477526-\$ or US-6178377-\$ or US-6526351-\$ or US-6385541-\$ or US-6321158-\$ or US-5945985-\$ or US-5945976-\$ or US-5850352-\$ or US-6199045-\$	USPAT; US-PGPUB	2004/04/28 17:40
	or US-6148261-\$ or US-5276785-\$ or US-6119095-\$ or US-6408307-\$ or US-6628278-\$ or US-6577714-\$ or US-6437778-\$ or US-5956028-\$ or US-5563988-\$ or US-6442479-\$ or US-6526335-\$).did. or (US-20020167442-\$ or US-20020059296-\$ or US-20010034661-\$ or US-20030195697-\$).did.		
1	((US-6496776-\$ or US-6477526-\$ or US-6178377-\$ or US-6526351-\$ or US-6385541-\$ or US-6321158-\$ or US-5945985-\$ or US-5945976-\$ or US-5850352-\$ or US-6199045-\$ or US-6148261-\$ or US-5276785-\$ or US-6628278-\$ or US-6577714-\$ or US-6437778-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:41
	US-5956028-\$ or US-5563988-\$ or US-6442479-\$ or US-6526335-\$).did. or (US-20020167442-\$ or US-20020059296-\$ or US-20010034661-\$ or US-20030195697-\$).did.) and (WWW or web) near4 search		
- 3	((US-6496776-\$ or US-6477526-\$ or US-6178377-\$ or US-6526351-\$ or US-6385541-\$ or US-6321158-\$ or US-5945985-\$ or US-5945976-\$ or US-5850352-\$ or US-6199045-\$ or US-6148261-\$ or US-5276785-\$ or US-6119095-\$ or US-6408307-\$ or US-6628278-\$ or US-6577714-\$ or US-6437778-\$ or US-5956028-\$ or US-5563988-\$ or US-6442479-\$ or US-6526335-\$).did. or (US-20020167442-\$ or US-20020059296-\$ or US-20010034661-\$ or US-20030195697-\$).did.) and (WWW or web) near4 (search query request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:42
32	((landmark with database) and (position and name) with landmark) and (search or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 17:42
- 5	(((landmark with database) and (position and name) with landmark) and (search or query)) and (WWW or web) near4 (search query request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 17:54
- 1	(WWW or web) near4 (search query request) with landmark with keyword	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/28 17:54
- 5	(((landmark with database) and (position and name) with landmark) and (search or query)) and (WWW or web or internet) near4 (search query request)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/28 17:54
- 1	(WWW or internet web) near4 (search query request) with landmark with keyword	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:54

		-		
-	2	(WWW or internet web) near4 (search query request) with landmark	USPAT; US-PGPUB;	2004/04/28 17:55
			EPO; JPO; DERWENT; IBM TDB	
-	25542	(WWW or internet web) near4 (search query request)	USPAT; US-PGPUB; EPO; JPO;	2004/04/28 17:55
-	229	((WWW or internet web) near4 (search query	DERWENT; IBM_TDB USPAT;	2004/04/28 17:56
		request)) and landmark	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	57	(((WWW or internet web) near4 (search query request)) and landmark) and landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:20
-	0	search with enginge same landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:20
-	0	(google yahoo altavista lycos hotbot) same landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:20
-	10	search with engine same landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:45
-	1	search with page same landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:46
-	3	search with (page site) same landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:48
-	6	(search query) with (process module) same landmark near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 18:49
	33	(US-6496776-\$ or US-6477526-\$ or US-6178377-\$ or US-6526351-\$ or US-6385541-\$ or US-6321158-\$ or US-5945985-\$ or US-5945976-\$ or US-5850352-\$ or US-6199045-\$ or US-6148261-\$ or US-5276785-\$ or US-6119095-\$ or US-6408307-\$ or US-6628278-\$ or US-6577714-\$ or US-6437778-\$ or US-5956028-\$ or US-5563988-\$ or US-6442479-\$ or US-6526335-\$ or US-5970499-\$ or US-6054989-\$ or US-6462676-\$ or US-6708184-\$).did. or (US-20020167442-\$ or US-20020059296-\$ or US-20010034661-\$ or	USPAT; US-PGPUB; DERWENT	2004/04/28 19:20
		US-20030195697-\$ or US-20010003815-\$ or US-20010027375-\$ or US-20020154171-\$).did. or (WO-200120507-\$).did.		

-	12	((US-6496776-\$ or US-6477526-\$ or	USPAT;	2004/04/28 19:24
		US-6178377-\$ or US-6526351-\$ or US-6385541-\$	US-PGPUB;	
		or US-6321158-\$ or US-5945985-\$ or	EPO; JPO;	
		US-5945976-\$ or US-5850352-\$ or US-6199045-\$	DERWENT;	
		or US-6148261-\$ or US-5276785-\$ or	IBM_TDB	
		US-6119095-\$ or US-6408307-\$ or US-6628278-\$		
		or US-6577714-\$ or US-6437778-\$ or		
1		US-5956028-\$ or US-5563988-\$ or US-6442479-\$		
		or US-6526335-\$ or US-5970499-\$ or US-6054989-\$ or US-6462676-\$ or		
		US-6708184-\$).did. or (US-20020167442-\$ or		
İ		US-20020059296-\$ or US-20010034661-\$ or		
		US-20030195697-\$ or US-20010003815-\$ or		
		US-20010027375-\$ or US-20020154171-\$).did.		
		or (WO-200120507-\$).did.) and click		
-	205		USPAT;	2004/04/28 19:25
		(keyword string query)	US-PGPUB;	,,
1		,,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	click with (insert enter or output) with	USPAT;	2004/04/28 19:26
		(keyword string query) same landmark	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	click with (insert enter or output) with	USPAT;	2004/04/28 19:26
		(keyword string query) same attraction	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	aliak with (ingert onten or autout) with	IBM_TDB	2004/04/20 10:20
-		click with (insert enter or output) with (keyword string query) and landmark	USPAT; US-PGPUB;	2004/04/28 19:26
		(keyword scring query) and landmark	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	25	click with (insert enter or output) with	USPAT;	2004/04/28 19:26
		(keyword string query) same result	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(click with (insert enter or output) with	USPAT;	2004/04/28 19:27
		(keyword string query) same result) and	US-PGPUB;	
		701/\$	EPO; JPO;	
]			DERWENT;	
[-	(aliab with (income onton an autout)	<pre>IBM_TDB USPAT;</pre>	2004/04/20 10 ::
-	5	(click with (insert enter or output) with		2004/04/28 19:44
		(keyword string query)) and 701/\$	US-PGPUB; EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	6	("5475812" "5592604" "5596500"	USPAT	2004/04/28 19:41
["5864337" "5894311" "5910803").PN.		
-	10		USPAT	2004/04/28 19:50
-	1	(click with (insert enter or output) with	USPAT;	2004/04/28 19:45
]		(keyword string query)) and 707/\$	US-PGPUB;	
]		EPO; JPO;	
	1		DERWENT;	
	[IBM_TDB	
-	1	'	USPAT;	2004/04/28 19:46
		(keyword string query)) and 707/\$) and	US-PGPUB;	
		(attraction lanmdark or POI point adj3	EPO; JPO;	
		intrest)	DERWENT;	
_	0	6307573.PN. and (3D 3-D)	IBM_TDB USPAT	2004/04/28 19:51
_	1	6307573.PN. and (3D 3-D)	USPAT	2004/04/28 19:51
·		1 22 . 2 . 2 . 2	, 551111	2004/04/20 21:0/